



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/521,296	05/24/2005	Andreja Vukmirovic	BPPG-32982A/LEK	9213
72554	7590	06/06/2008		
SANDOZ INC 506 CARNEGIE CENTER PRINCETON, NJ 08540			EXAMINER ROGERS, JUNE MARIE	
			ART UNIT	PAPER NUMBER
			1612	
			MAIL DATE	DELIVERY MODE
			06/06/2008 PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10521296	5/24/2005	VUKMIROVIC ET AL.	BP/G-32982A/LEK

SANDOZ INC
506 CARNEGIE CENTER
PRINCETON, NJ 08540

EXAMINER

JUNE ROGERS

ART UNIT	PAPER
1612	20080602

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on 2/25/2008 in response to the restriction and specie election mailed on 1/24/2008 is non-responsive because it fails to elect a single specific specie(s) or combination of species of additional components.

Specifically, Applicant was required to (1) elect the presence or abences of additional component(s) or combinations thereof; listed as items a-e, and then if applicant elected the presence of additional components; (2) elect a single specific specie(s) for the choosen additional component(s) options listed as a-e. For example, if applicant elected additional component (b), Applicants would then need to define a single specific species of option b, for example NaCl, as recited in claim 15.

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.

If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.

Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Juné M. Rogers whose telephone number is 571-270-3497. The examiner can normally be reached on M-T 8:00-5:00 EST. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ardin H. Marschel can be reached on 571-272-0718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Frederick Krass/
Supervisory Patent Examiner, Art Unit 1612

/JUNE ROGERS/
Examiner, Art Unit 1612

PTO-90C (Rev.04-03)